

Dimensions


▶ I

A

▶


▶

▶



300D Spherical 3-WAY Tee Class 300- .50 Design Factor

L/



Dimensions

DN	IS	IS	IS	IS	IS	IS	IS	IS	IS	IS	IS
4	100	11.28	287	5.41	137	6.7	177	12.78	325	6.72	171
6	150	15.63	377	7.72	166	7.25	235	16.7	431	10.28	261
8	200	19.05	484	9.50	241	11.05	281	20.55	522	12.80	325
10	250	23.06	586	11.62	255	13.06	332	24.68	627	16.03	407
12	300	27.20	691	13.70	348	15.20	386	28.0	734	19.34	491

Spare O-Rings

DN	IS	Part Number
4	100	00-1250-0001
6	150	00-1250-0002
8	200	00-1250-0003
10	250	00-1250-0004
12	300	00-1250-0005



300D Spherical 3-WAY Tee and SHORTPLUG with Guide Bars

4-inch Spool Adapter, 06-1165-0181 required
to set the SHORTPLUG with Guide Bars

Equipment	Housing	Required
500	06-7370-0000	IS
500	08-2143-0000	
500	08-2148-0000	

6-inch Spool Adapter, 06-1165-0182
required to set the Pig Guide SHORTPLUG

Equipment	Housing	Required
500	06-7371-0000	IS
500	08-2144-0000	

8-inch Spool Adapter, 06-1165-0183 required
to set the SHORTPLUG with Guide Bars

Equipment	Housing	Required
500	06-7372-0000	
500	08-2145-0000	

10-inch Spool Adapter, 06-1165-0184 required
to set the SHORTPLUG with Guide Bars

Equipment	Housing	Required
500	06-7373-0000	IS*
500	08-2146-0000	
07-1586-0000	48-T	IS

12-inch Spool Adapter, 06-1165-0185 required
to set the SHORTPLUG with Guide Bars

Equipment	Housing	Required
500	06-7374-0000	
500	08-2147-0000	